	Application No.	Applicant(s)
Notice of Allowability	09/912,899	MASUYAMA, HIDEYUKI
	Examiner	Art Unit
	Joshua L Pritchett	2872
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed March 22, 2004</u> .		
2. The allowed claim(s) is/are <u>17,20,22 and 23</u> .		
3. X The drawings filed on 25 July 2001 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> </ul>		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sum Paper No./Ma 08), 7. ☐ Examiner's Am	il Date

Application/Control Number: 09/912,899

Art Unit: 2872

## **DETAILED ACTION**

This action is in response to Amendment filed March 22, 2004. Claims 17 and 20 have been amended and claims 22 and 23 have been added as requested by the applicant.

## Response to Arguments

Applicant's arguments, see Amendment, filed March 22, 2004, with respect to claims 17 and 20 have been fully considered and are persuasive. The rejection of claims 17 and 20 has been withdrawn.

## Allowable Subject Matter

Claims 17, 20, 22 and 23 allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claims 17 and 22, the prior art of record fails to teach or suggest a microscope with an imaging element that receives a color signal, a recognizing means for recognizing and changing the magnification of a specimen, a color signal processing means and a filter coefficient setting means to accentuate the contour of each of the color signals.

Regarding claim 20, the prior art of record fails to teach or suggest a microscope with an imaging element that receives a color signal, a microscope control section to recognize and

Application/Control Number: 09/912,899

Art Unit: 2872

change the magnification of a specimen, a color image control section a filter circuit to accentuate the contour of each of the color signals.

Claim 23 depends from claim 20 and is therefore allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua L Pritchett whose telephone number is 571-272-2318. The examiner can normally be reached on Monday - Friday 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew A Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/912,899

Art Unit: 2872

 $^{
m JLP} N$ 

DREW A. DUNN SUPERVISORY PATENT EXAMINER